


# NEXTORCH



Tel: +86-20-89047029 (7070)  
Fax: +86-20-89047039



Email: [info@nextorch.com](mailto:info@nextorch.com)



Suite 1203, North Tower, No.1068 XinGangDong Road,  
Haizhu District, Guangzhou, Guangdong, China 510335



#### LEARN MORE

Welcome to visit [www.nextorch.com](http://www.nextorch.com)  
or talk to your salesperson.

[www.nextorch.com](http://www.nextorch.com)



## PRODUCT CATALOG

# CONTENTS

## 01 NEXTORCH PRO'S LIGHT

SAINT TORCH SERIES	02-04
T & P SERIES	05-15
HUNTING SET	16-21
E SERIES	22
myTorch S	23-24
C SERIES	25-26
S SERIES	27-34
H SERIES	35-40
B SERIES	41-42

## 02 GLO-TOOB EMERGENCY MARKER LIGHT

## 03 NEX DEFENSE TOOL

## 04 NexTool INNOVATIVE EDC TOOL

## 05 Pekt EXQUISITE KNIFE MAKER

## NEXTORCH PRO'S LIGHT



Founded in 2005, NEXTORCH is a global leading brand of high-end portable lighting products, devoting to provide more professional mobile lighting solutions for tactical, military, law enforcement, hunting, outdoor and everyday use.

With more than 120 patents and numerous awards, NEXTORCH has gained lots of recognition and built up a good reputation.

Nowadays, NEXTORCH products have been selling to over 100 countries around the globe.

MEMBER

PLATO

AWARDS



reddot award 2018  
winner



reddot award 2017  
winner



reddot award 2016  
winner



## ICONS



### Type-C CHARGING PORT

Features a new connector shape, reversible and interchangeable, easy plug in your flashlight



### POWER BANK

Battery pack can be used as a power bank that supplies power for external electronic devices



### STT (SMART TORCH TECHNOLOGY)

PC programmable technology that allows users to set infinite modes personally to fit different needs



### USB RECHARGEABLE

Convenient and universal charging option



### FUEL INDEX

Low battery warning and charging indication



### S.O.S.

Stand and S.O.S. signal for emergency use



### OS (ONE-STEP STROBE)

Rotary switch designed to activate strobe instantly



### GLASS BREAKER

Specialty hardened, efficient in shattering car windows



### VARI-SOURCE

Compatible with various battery types



### DUD SWITCH

Tap for Momentary On, double tap for Tactical Strobe, Click for Constant On, then tap to cycle through modes



### TACTICAL STROBE

Designed to gain the tactical advantage, a 10-12 Hz frequency is the fastest of feature



### 360° FOCUS-ADJUSTABLE

Simple rotation can set the beam at a desired focus for your needs



### MULTI-LIGHT TECHNOLOGY

Rotate the flashlight head or dial switch to change into different light sources



### AIMING LASER

Laser (visible / invisible) for aiming



### RECTANGULAR SPOT LENS TECHNOLOGY

Designed for optimal brightness and efficiency to deliver a powerful wide beam and whole-road lighting for better visibility

# SAINT TORCH SERIES

Saint Torch series is known as NEXTORCH flagship searchlights, designed for rescue, exploration, patrol and maintenance. For its ultra-bright and reliable HF&E (Human Factors and Ergonomics) design, Saint Torch series is your pro's choice.



# SAINT TORCH 30



## 5600 Lumen Ultra-Bright Direct-Charging Search Torch

- Controlled by body switch to easily realize mode switching
- Powered by 10400 mAh rechargeable battery pack, also can be used as power bank
- USB Type-C quick charging design, full charged for only 3 hours
- 4-LED battery indicator for clearly knowing the battery level
- Accessories including: a shoulder strap, a waterproof case and a sturdy nylon bag for convenient storage and carry



\* Waterproof Container



\* Shoulder Strap



\* Charger



\* Carry Bag



reddot award 2018  
winner

5600  
LUMENS



The battery pack can also  
be a power bank

Small case for convenient storage  
- water & dust proofing

### Optional Accessories



LED	CREE® XHP50B LED
Mode	5600 lm / 2500 lm / 840 lm / 105 lm / strobe / S.O.S.
Runtime	2 h 30 min / 3 h 30 min / 8 h 30 min / 60 h / - / -
Beam distance	480 m / 1574'
Waterproof	IPX7 (1 m)
Impact resistance	1 m / 3.28'
Battery	4 × 2600 mAh (14.8 V) Rechargeable Li-ion Battery Pack (included)
Dimensions	200 mm × 50 mm × 82 mm
Weight	728 g / 25.68 oz (with battery)

# SAINT TORCH 11



\* Waterproof Container



\* Shoulder Strap



\* Charger



\* Carry Bag

3500  
LUMENS

## 3500 Lumen Ultra-long-throw Rechargeable Search Torch

- \* Applying an optimized orange-peel reflector for a uniform light spot and long-distance illumination
- \* Powered by 10400 mAh rechargeable battery pack, also can be used as power bank
- \* USB Type-C quick charging design, full charged for only 3 hours
- \* 4-LED battery indicator for clearly knowing the battery level
- \* Accessories including: a shoulder strap, a waterproof case and a sturdy nylon bag for convenient storage and carry

### FEATURES

### Optional Accessories



LED	CREE® XHP70B LED
Mode	3500 lm / 1850 lm / 500 lm / 65 lm / strobe / S.O.S.
Runtime	3 h / 3 h 30 min / 16 h / 110 h / - / -
Beam distance	600 m / 1968'
Waterproof	IPX7 (1 m)
Impact resistance	1 m / 3.28'
Battery	4 × 2600 mAh (14.8 V) Rechargeable Li-ion Battery Pack (included)
Dimensions	212 mm × 50 mm × 83 mm
Weight	790 g / 27.87 oz (with battery)



# T&P SERIES

The people who risk themselves to protect and safeguard others should also be protected. NEXTORCH Tactical & Police Series are specially designed for military and law-enforcement personnel to fulfill their duty and mission.

T&P series, offering reliable and practical solutions for low-light & no-light situation, are the 24/7 partners that you can count on.



860  
LUMENS



Easily Rotate to Choose Different Light Source



White light and IR Light Source



Easily Mounted on the Weapon Rail

## WL50 IR

Universal-rail-mounted Dual-light Weapon Light



FEATURES

- \* High-medium-low three-level brightness setting, max output up to 860 lumens
- \* Patented Dual-light structure, rotating the head to switch between the white light and infrared light
- \* Tactical remote switch with Constant On and Momentary On/Off button
- \* Compatible with one 18650 rechargeable Li-ion battery and 2 x CR123A batteries to meet the needs in different tactical environments
- \* Made of aerospace-grade aluminum alloy, Type III hard anodized, IPX7 waterproof, stable and reliable
- \* Quickly assembly and disassembly on all standard picatinny rails, without extra tools needed

LED	CREE® XP-L LED and IR LED 850 nm				
	Battery	White Light		IR Light	
Mode	2 x CR123A	High 850 lm	Medium 330 lm	Low 140 lm	400 mW
	1 x 18650	High 750 lm	Medium 360 lm	Low 150 lm	
Runtime	2 x CR123A	1h 30min / 2h 30min / 5h 30min			4h
	1 x 18650	3h 15 min / 5h 15 min / 9h 45 min			

Beam Distance	2 x CR123A	290 m / 951'
	1 x 18650	260 m / 853'
Waterproof	IPX7 (1 m)	
Impact Resistance	1 m / 3.28'	
Shock Resistance	500 g	
Battery	2 x CR123A (included) / 1 x 18650	
Dimension	159 mm x 40 mm x 42 mm	
Weight	195 g / 6.89 oz (without battery)	



## WL30 NEW

3-in-1 Multi-light Handgun Light

400  
LUMENS



- FEATURES**
- \* Integrated with visible white light (400 lumens), green laser (< 5 mw, 520 nm) and IR laser (< 5 mw, 850 nm)
  - \* Ambidextrous Bi-paddle white light triggers and side laser switches for quick response and easy operation
  - \* Windage and elevation adjustment screw on the laser for accurate aiming
  - \* The quick-detach rail clamp can securely attach to the universal picatinny rails

Light Source	White Light	Green Laser	IR Laser
Mode	400 lm	< 5 mW	< 5 mW
Runtime	1 h 30 min	10 h	24 h
Beam distance	110 m	—	—
Impact resistance	1 m	—	—
Water Resistant	IPX4	—	—
Battery	1 x CR123A battery (included)		
Dimensions	Weight: 80 mm x 45 mm x 40 mm		
Weight	115 g / 4.05 oz (without battery)		

Bi-paddle white light triggers and side laser switches



Three Light Sources



## WL10X EXECUTOR

Rail-mounted High-output Handgun Light

230  
LUMENS



- FEATURES**
- \* Adjustable rail block fits most rail models
  - \* Powered by 1\*CR123A battery, max output 230 lumens
  - \* Ambidextrous Bi-Paddle switch designed for both right and left hands; tap for Momentary On and click for Constant On
  - \* Quickly assembly and disassembly on picatinny rails, without extra tools needed
  - \* Safe lock to prevent accidental activation

LED	CREE® XP-G2 LED
Mode	230 lm
Runtime	1 h 15 min
Beam distance	130 m / 426.5'
Waterproof	IPX7 (1 m)
Impact resistance	1 m / 3.28'
Battery	1 x CR123A (included)
Dimensions	86.7 mm x 37.8 mm x 24 mm
Weight	97 g / 3.42 oz (without battery)

WL10X is compatible with the following models but not limited to:

Glock	SIG	Smith & Wesson	Fabrique Nationale	Springfield
Glock 17	P226	M&P9	FNP	XDM
Glock 19	P229	M&P40	FNX	



## T7L NEW

1100-meter Long-shot USB-direct-charge White-light Flashlight

400  
LUMENS



1100 meter focused long shot, easy to light up the target

Optional Accessories



RM555  
Universal Mount

TS41-L  
Remote Switch



2-in-1 Port for Remote Control Switch and USB Charging

LED	White-light emitter
Mode	400 lm / 45 lm / strobe / momentary on
Runtime	2 h 15 min / 4 h 15 min / - / -
Beam distance	1100 m / 350 m / - / -
Waterproof	IPX7(1 m)
Impact resistance	1 m / 3.28'
Battery	1 x 18650
Dimensions	151 mm x 25.4 mm x 34 mm
Weight	148 g / 5.22 oz (without battery)

**FEATURES**

- \* Innovatively applying the white-light emitter technology, to realize the ultra-long throw of the white-light handheld lighting
- \* 1100 meter focused long shot, to target the goal far in the distance easily
- \* USB direct charge system and remote control switch shares the same port, available for quick charge and more convenient connect to a remote switch without another cap
- \* Compact size and light weight for comfortable grip, flexible use and easy carry
- \* Optional professional accessories provide wider tactical applications, such as RM555 flashlight mount, TS41-L remote switch, etc.



## TA30 MAX

Ultra-bright One-step Strobe  
21700 Tactical Flashlight



Patented One-step Strobe Switch



Optional Accessories

FR-2 Tactical Flashlight Ring V5 Tactical Quick-draw Polymer Holster



Nano-ceramic Strike Bezel



Type-C Direct-charge 21700 Li-Ion Battery with an Indicator

LED	CREE® XHP50.2 LED
Mode	70 lm / 380 lm / 2100 lm / momentary on / strobe
Runtime	23 h / 6 h / 2 h 30 min / - / -
Beam distance	45 m / 100 m / 250 m / - / -
Waterproof	IPX8 (2 m)
Impact resistance	2 m / 6.56'
Battery	1 x 21700 Li-ion battery (5000 mAh)
Dimensions	151 mm x 28 mm x 38 mm
Weight	148 g / 5.22 oz (without battery)

### FEATURES

- \* CREE® XHP50.2 LED, max output up to 2100 lumens
- \* Patented one-step-strobe technology: tap for momentary on and heavy press for tactical strobe
- \* Rotational magnetic switch around the tail cap for easy one-handed mode switch
- \* Specially hardened Nano-ceramic breach bezel, effectively breaks glasses in emergency
- \* Able to be upside-down to meet various lighting needs
- \* Powered by one 21700 battery (5000 mAh)

## TA30 V2.0

High-light One-step Strobe  
Tactical Flashlight



1300  
LUMENS



Patented One-step Strobe Switch



Nano-ceramic Strike Bezel



Optional Accessories

USB Rechargeable 18650 Battery

FR-1 Tactical Flashlight Ring



### FEATURES

- \* Patented one-step-strobe technology: tap for momentary on and heavy press for tactical strobe
- \* Rotational magnetic switch around the tail cap for easy one-handed mode switch
- \* Compatible with 1x18650 Li-ion battery and 2 x CR123A batteries
- \* Stainless-steel bezel with specially hardened Nano-ceramic balls, functioning as the most efficient glass breaker
- \* Specially-designed accessory, FR-1 tactical flashlight ring (not included), provides more versatile usage

LED	OSRAM P9 LED
Mode	20 lm / 200 lm / 1300 lm / momentary on / strobe
Runtime	40 h / 6 h / 2 h 30 min / - / -
Beam distance	240 m / 787.4'
Submersible	IPX8 (2 m)
Impact resistance	2 m / 6.56'
Battery	1 x 18650 / 2 x CR123A
Dimensions	137 mm x 23 mm x 30 mm
Weight	99 g / 3.49oz (without battery)

## TA40

1040 Lumen USB-direct-charge  
Tactical Flashlight




1040  
LUMENS



2-in-1 Submersible Port for Remote Switch & Charging System



3 m Shock-proof Standard



### FEATURES

- \* CREE® XM-L2 LED, max output up to 1040 lumens
- \* 7 modes, for the most common applications
- \* 2 m water proof, 3 m impact resistance
- \* Power by two CR123A batteries (non-rechargeable) or one 18650 battery
- \* DUO SWITCH, for easy momentary activation and mode switching

LED	CREE® XM-L2 LED
Mode	1040 lm / 530 lm / 250 lm / 80 lm / strobe / S.O.S.
Runtime	1 h 30 min / 2 h 15 min / 3 h 30 min / 10 h / - / -
Beam distance	285 m / 935.04'
Submersible	IPX8 (2 m)
Impact resistance	3 m / 9.84'
Battery	2 x CR123A (included) / 1 x 18650
Dimensions	147 mm x 25.4 mm x 34 mm
Weight	124 g / 4.37 oz (without battery)



## TA01

Single-mode High-performance Tactical Flashlight



500  
LUMENS




Tactical Tail Cap Switch, tap for momentary on and screw up for constant light



Simple and Reliable, suitable for high-intensity tactical environment

### Optional Accessories




USB Direct Charge  
18650 Battery

FR-1 Tactical  
Flashlight Ring

### FEATURES

- 500 lumen single mode, bright enough for visual interference, to meet tactical needs
- Quiet tail-cap switch operation: tap for momentary on and screw up for constant light
- Emitting a beam of neutral white light with high-light center spot and big uniform edge spot for clearer and overall observation
- Made of high-intensity aerospace aluminum and processed by Type III hard anodizing for durable use and comfortable grip
- Matches with the optional FR-1 tactical ring to realize multiple applications and more flexible carry ways

LED	CREE® XP-G3 Neutral White LED
Mode	500 lm / momentary on
Runtime	4 h / —
Beam distance	185 m / 607'
Submersible	IPX8 (2 m)
Impact resistance	2 m / 6.56'
Battery	1 x 18650 Li-ion (included) / 2 x CR123A
Dimensions	135 mm x 23 mm x 30 mm
Weight	89 g / 3.1 oz (without battery)




## TA15

High-output Tactical Flashlight with Multi-battery Compatibility



600  
LUMENS



Compact Size  
for Handy Use

Optional USB  
Rechargeable 14500 Battery



Multi-battery Compatibility Technology

Compatible with: CR123A / AA / 14500 / 16340 Battery



Anti-Oxidation  
Industry Award 2017  
Silver Award

Nano-ceramic Strike Bezel

### FEATURES

- Max output up to 600 lumens
- Vari-sound design, compatible with AA, CR123A, 14500 and 16340 battery
- Dual-function tactical tailcap with momentary-on or tactical strobe
- Rotational magnetic switch for one-handed operation
- Nano-Ceramic strike bezel, powerful glass breaker
- Compact size with a sturdy clip for secure carry

LED	CREE® XP-L LED
Mode	50 lm / 240 lm / 600 lm / momentary on / strobe
Runtime	2 h 15 min / 1 h 45 min / — / —
Beam distance	150 m / 492.1'
Submersible	IPX8 (2 m)
Impact resistance	2 m / 6.56'
Battery	1 x CR123A / AA / 14500 / 16340
Dimensions	127 mm x 22 mm x 30 mm
Weight	90 g / 3.17 oz (without battery)



## K3T

High-output Tactical Pen Light



215  
LUMENS



(Tighten)  
Tactical Mode: Momentary-on - High  
(Loosen)  
Duty Mode: Low - Medium - Strobe



Compact Pen Size



Tactical Backup

### FEATURES

- CREE® XP-G3 LED, max output up to 215 lumens
- Tactical & Duty modes, versatile for various tasks
- Compact pen size with a sturdy clip, easier to carry
- Secure knurling body design for secure grip
- Running on two easy-to-find AAA batteries

LED	CREE® XP-G3 LED
Mode	8 lm / 90 lm / 215 lm / momentary on / strobe
Runtime	50 h / 4 h / 30 min / — / —
Beam distance	70 m / 229.7'
Submersible	IPX8 (2 m)
Impact resistance	1 m / 3.28'
Battery	2 x AAA (included)
Dimensions	138 mm x 14 mm x 16 mm
Weight	32 g / 1.13 oz (without battery)



## TA5

High-output Rechargeable One-step Strobe Tactical Breaching Partner



900  
LUMENS



Nano-ceramic Glass Breaker



O/S (One-step Strobe)



Patrol Slide Switch  
with an Indicator

### FEATURES

- One-step strobe tail cap, easy to reach momentary on and tactical strobe
- Press the patrol slide switch to enter three constant-on modes and a hidden S.O.S. mode
- Low-profile Nano-ceramic resin and breaching system
- Built-in LED Indicator for indicating low battery and USB direct charging state
- Powered by 1 \* 18650 battery or 2 \* CR123A batteries

LED	CREE® XP-L LED
Mode	900 lm / 230 lm / 9 lm / strobe / S.O.S.
Runtime	3 h / 6 h 45 min / 160 h / — / —
Beam distance	240 m / 787.4'
Waterproof	IPX7 (1 m)
Impact resistance	2 m / 6.56'
Battery	2 x CR123A / 1 x 18650 (included)
Dimensions	178 mm x 26.5 mm x 38.5 mm
Weight	170 g / 6 oz (without battery)



**P80****1300  
LUMENS**

One-step Strobe Rechargeable Duty Flashlight



Type-C Direct Charging



Optional Accessories

V10 Nylon Flashlight Holster V5 Tactical Quick-draw Polymer Holster



Nano-ceramic Strike Bezel



LED Battery Indicator

LED	OSRAM P9 LED
Mode	350 lm / 25 m / 1300 lm / strobe
Runtime	4 h 30 min / 60 h / 2 h / -
Beam distance	140 m / 35 m / 280 m / -
Waterproof	IPX4 (1 m)
Impact resistance	2 m / 6.56'
Battery	1 x 18650
Dimensions	150 mm x 28.5 mm x 35 mm
Weight	177 g / 6.24 oz (without battery)

**FEATURES**

- \* Specially hardened Nano-ceramic strike bezel, effectively breaks glasses in emergency
- \* Single side switch for one-step strobe and mode switching
- \* Presets 350-lumen medium mode as the first light pattern, more suitable for daily use
- \* Type-C direct charge design
- \* Optional accessories: V10 / V6 / V5 holster, nylon flashlight holster, traffic wand, etc.

**PA5**

360° Focusing Adjustable USB Rechargeable Flashlight



Patented USB Direct Charging, spin up the tail cap to enter



NEXTORCH Patented Fresnel Lens

**660  
LUMENS****NEX  
DISTRACTOR**

NEW

**8000  
LUMENS**

Ar6-rolling Tab



Speaker

Strobe Mode  
Constant-on  
Light Mode  
Charging  
Indicator  
USB Charging  
Port**FEATURES**

- \* LEDs are densely arrayed into a cylindrical shape to reduce dead angles of flashing illumination
- \* Super high 8000-lumen strobe emitting temporary blinding LED light
- \* Delayed glare strobe with a warning sound meanwhile
- \* Set with anti-rolling bulges, easy for throwing in position to prevent excessive rolling
- \* Powered by built-in rechargeable battery via the mini USB charging port

Mode	Strobe	Constant on
Runtime	8000 lm	400 lm
Cumulative time	≥ 5 min	2 h
Water Resistance	IPX4	
Impact Resistance	2 m	
Sound	80 dB (at 1 m)	
Dimensions	122 mm x 72 mm x 72 mm	
Weight	327 g / 11.53 oz (with battery)	

**FEATURES**

- \* Patented Fresnel Lens Focusing Technology, delivering a smooth transition from broad flood beam to focused beam just by one-handed twist of the 360° swivel head
- \* Neutral white LED, delivering a soft light beam without dazzling eyes
- \* Innovative well-hidden USB direct charging design providing better durability
- \* One multi-function DUO Switch for easy momentary on and multi-mode toggle
- \* Compatible with one 18650 Li-ion battery or two CR123A batteries
- \* Flat tail cap, standing up available for more applications

LED	CREE® XP-L LED
Mode	660 lm / 30 km / momentary on / strobe / S.O.S.
Runtime	4 h / 32 h / - / -
Beam distance	220 m / 721' ft
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	2 x CR123A / 1 x 18650 (included)
Dimensions	146 mm x 26 mm x 34 mm
Weight	147 g / 5.19 oz (without battery)

# P5 DUAL-LIGHT



	PSG / PSR / PSB
LED	CREE® XP-L LED / XP-E2 Green / Red / Blue LED
Mode	800 lm / 45 lm / strobe / S.O.S. / 200 lm (green) / 131 lm (red) / 80 lm (blue)
Runtime	3 h 45 min / 27 h / - / - / 5 h (green) / 5 h 45 min (red) / 5 h 15 min (blue)
Beam distance	246 m / 807.1' (white)
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	1 × 18650 (included) / 2 × CR123A
Dimensions	168 mm × 26 mm × 40 mm
Weight	185 g / 6.53 oz (without battery)



	PSW / PSIR / PSUV
LED	CREE® XP-L LED / XP-E2 Warm White / Infrared Ray / Ultraviolet Ray LED
Mode	800 lm / 45 lm / strobe / S.O.S. / 365 nm (warm white) / 500 mW (UV) / 1000 mW (UV)
Runtime	3 h 45 min / 27 h / - / - / 4 h 45 min (warm white) / 5 h (IR) / 5 h 30 min (UV)
Beam distance	246 m / 807.1' (white)
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	1 × 18650 (included) / 2 × CR123A
Dimensions	168 mm × 26 mm × 40 mm
Weight	185 g / 6.53 oz (without battery)



Dual-Light Technology



red dot award 2016  
winner

## FEATURES

- \* Proprietary Dual-Light technology, 360° rotational shift for different light colors
- \* Innovative well-hidden USB direct charging design providing better durability
- \* One multi-function DUO Switch for easy momentary on and multi-mode toggle
- \* Micro USB direct charge, to satisfy long-time hunting needs
- \* Compatible with one 18650 Li-ion battery or two CR123A batteries
- \* Dual anti-shock structure, shock resistance up to 1 meter



Hunting


Tactical

Rescue

Law enforcement







760  
LUMENS

## T53 SET

3-in-1 Multi-light Hunting Flashlight



### ACCESSORIES INCLUDED

RM855 scope mount  
TS41-L remote switch  
UC4 USB charge cable  
1 x 2600mAh 18650 Li-ion battery



One reflector to realize the white, green and red light

Rotating the side dial to switch light sources

USB-direct charging system



### FEATURES

- Proprietary multi-light technology, one reflector to realize the white, green and red light, delivering a full and round light spot
- 360° rotate the side dial to switch light sources, easy to operate
- Patented multi-function DUO Switch, single switch for momentary on, constant on and mode switching
- USB direct charge design for long-playing outdoor use
- Able to fit with a scope mount and a quick-insert remote control switch for more convenient hunting

LED	White	Green	Red
	CREE® XP-L LED	CREE® XP GREEN LED	CREE® XP RED LED
Mode	stroke / 760lm / 45lm / momentary on / S.O.S.	stroke / 129lm / 30lm / momentary on / S.O.S.	stroke / 101lm / 23lm / momentary on / S.O.S.
Runtime	~ / 4 h 30 min / 31 h / - / -	~ / 7 h / 34 h / - / -	~ / 4 h 45 min / 25 h / - / -
Beam distance	220 m / 722'	160 m / 525'	122 m / 401'
Waterproof	IPX7 (1 m)		
Impact resistance	1 m / 3.28'		
Battery	1 x 18650 / 2 x CR123A		
Dimensions	147 mm x 25.4 mm x 37 mm		
Weight	155 g / 5.46 oz (without battery)		

## T5G SET

Dual-light Rechargeable Hunting Flashlight Set



### ACCESSORIES INCLUDED

RM855 scope mount  
TS41-L remote switch  
1 x 2600mAh 18650 Li-ion battery

\* T5G is not compatible with the RM87 universal mount due to the magnet effect on the switch



2-in-1 Charging Port for Easy Access

360° Rotation to Change Light Color Freely



White  
860  
LUMENS

Green  
170  
LUMENS

### FEATURES

- Dual light source design: White & Green, max output up to 860 and 170 lumens
- Patented dual-light structure, 360° rotate to switch into different light sources easily
- Micro USB direct charge, to satisfy long-time hunting needs
- Single multi-function DUO Switch for easy momentary activation, constant light and mode switching

LED	CREE® XP-L LED	CREE® XP-E2 GREEN LED
	Mode	860 lm / 59 lm / momentary on / S.O.S. / stroke
Runtime	3 h 15 min / 24 h / - / - / -	4 h 30 min / 28 h / - / - / -
Beam distance	290 m / 65 m / - / - / -	260 m / 110 m / - / - / -
Waterproof	IPX7 (1 m)	
Impact resistance	1 m / 3.28'	
Battery	1 x 18650 (included) / 2 x CR123A	
Dimensions	145 mm (length) x 25.4 mm (body dia) x 40 mm (head dia)	
Weight	165 g / 5.82 oz (without battery)	



## T7 SET

900-lumen 510-meter Long-range Hunting Flashlight Set



### ACCESSORIES INCLUDED

RM855 scope mount  
TS41-L remote switch  
UC4 USB charge cable  
1 x 2600mAh 18650 Li-ion battery

### FEATURES

- \* More outstanding beam distance among similar flashlights to help you discover the prey or risks rapidly
- \* 2-in-1 single-port socket for easy access: the remote switch plug shares the same waterproof port with USB charging port
- \* Patented multi-function DUO Switch, single switch for easy momentary activation and 7-mode switch
- \* IPX8, 2m submersible, 1m impact resistant, durable and reliable

LED	High-performance LED
Mode	900 lm / 490 km / 120 km / 35 km / momentary on / S.O.S. / strobe
Runtime	2h 15min / 2h 45min / 6h / 28h / - / - / -
Beam distance	510 m / 330 m / 165 m / 75 m / - / - / -
Submersible	IPX8 (2m)
Impact resistance	1m / 3.2ft
Battery	1 x 18650 rechargeable Li-ion (included) / 2 x CR123A
Dimensions	154 mm (length) x 25.4 mm (body dia.) x 43.8 mm (head dia.)
Weight	142 g / 5 oz (without battery)

900  
LUMENS



## T5 SET

760-lumen 400-meter Hunting Flashlight Set



### ACCESSORIES INCLUDED

RM85 scope mount  
TS31-L remote switch  
2 x CR123A batteries

### FEATURES

- \* More outstanding beam distance among similar flashlights to help you discover the prey or risks rapidly
- \* Patented multi-function DUO Switch, single switch for easy momentary activation and 6-mode toggle
- \* IPX8, 2m submersible and impact resistant, durable and reliable
- \* Adapt to RM85 / RM87 scope mount / TS31-L remote switch / FT52 filter, etc.

LED	High-performance LED
Mode	760 lm / 220 km / 45 km / momentary on / S.O.S. / strobe
Runtime	3h / 6h / 27h / - / - / -
Beam distance	400 m / 205 m / 95 m / - / - / -
Submersible	IPX8 (2m)
Impact resistance	2m / 6.5ft
Battery	2 x CR123A (included) / 1 x 18650 Li-ion
Dimensions	143mm (length) x 25.4 mm (body dia.) x 34mm (head dia.)
Weight	119 g / 4.2 oz (without battery)

760  
LUMENS



## TA40 HUNTING SET

1040 Lumen Flashlight Set with Magnetic Mount

### ACCESSORIES INCLUDED

RM87 magnetic mount  
T54-L remote pressure switch  
UCA USB charge cable  
1 x 2600 mAh 18650 Li-ion battery

- \* Max output up to 1040 lumens
- \* 7 modes for the most common tactical flashlight applications
- \* Powered by two CR123A lithium batteries or one high-capacity 18650 Li-ion battery, including a tail-cap direct charging system
- \* DUO SWITCH with "Click and tap" function for easy momentary activation or mode switching



1040  
LUMENS

## TA40 RECHARGEABLE SET

1040 Lumen Ultra Bright Tactical Flashlight

### ACCESSORIES INCLUDED

RM85 scope mount  
T54-L remote pressure switch  
1 x 2600 mAh 18650 Li-ion battery / 2 x CR123A lithium batteries

- \* Max output up to 1040 lumens
- \* 7 modes for the most common tactical flashlight applications
- \* Powered by two CR123A lithium batteries or one high-capacity 18650 Li-ion battery, including a tail-cap direct charging system
- \* DUO SWITCH with "Click and tap" function for easy momentary activation or mode switching



1040  
LUMENS

## PSG SET

White and Green Dual-light Rechargeable Flashlight Set

### ACCESSORIES INCLUDED

RM85 scope mount  
T55-L remote pressure switch  
1 x 2600 mAh 18650 Li-ion battery


\* PSG is not compatible with the RM87 universal mount due to the magnet effect on the switch

- \* Dual-light technology, white / green combination
- \* Micro USB direct charging system
- \* Fits with the scope diameter at 25.6 mm - 30 mm and flashlight body diameter at 20 mm - 28 mm



White  
800  
LUMENS  
Green  
200  
LUMENS

	TA40 RECHARGEABLE / HUNTING SET	PSG SET
LED / BULB	CREE® XM L2 LED	CREE® XP-L LED / XP-E2 GREEN LED
Mode	1040 lm / 530 lm / 230 lm / 80 lm / strobe / S.O.S.	800 lm / 45 lm / strobe / S.O.S. / 200 lm (Green)
Runtime	1 h 30 min / 2 h 15 min / 3 h 30 min / 10 h / - / -	3 h 45 min / 27 h / - / - / 5 h
Beam distance	285 m / 935.04'	246 m / 807.1'
Submersible / Waterproof	IPX4 (2 m)	IPX4
Impact resistance	3 m / 9.84'	1 m / 3.28'
Battery	2 x CR123A (included) / 1 x 18650	2 x CR123A / 1 x 18650 (included)
Dimensions	147 mm x 25.4 mm x 34 mm	168 mm x 26 mm x 40 mm
Weight	124 g / 4.37 oz (without battery)	185 g / 6.53 oz (without battery)



## E SERIES

Compact pocket size, incredible performance, easy-to-use interface, and hard-anodized aluminum body, all make NEXTORCH E series the ultimate EDC lighting solution for personal and professional use.

## E51 V2.0



High-output Rechargeable EDC Pocket Flashlight

1400  
LUMENS

E51 2019 is an upgraded version of high-performance EDC pocket flashlight, with a max output up to 1400 lumens, as bright as day in darkness. It features the hidden Type-C quick charging design for time-saving energy storage and the coated tempered glass lens for better heat resistance and light transmittance. Five modes are set up to meet different lighting needs, including momentary-on, high, medium, low, and hidden-strobe. This straight compact E51 2019 is only palm-sized, portable enough by matching with an exquisite stainless steel clip and a detachable hand strap.



Fit in Your Palm



USB Direct Charge with an Indicator

- \* Max output up to 1400 lumens
- \* 5 Modes: momentary-on, high, medium, low, and hidden-strobe
- \* Small, straight, compact and portable
- \* Hidden Type-C quick-charging design for time-saving energy storage, economical and convenient
- \* Tail switch is easy for one-handed operation
- \* Including a detachable stainless-steel clip and a hand strap for easy carry

LED	OSRAM P9 LED
Mode	momentary on / 1400 lm / 260 lm / 20 lm / strobe
Runtime	- / 2 h 30 min / 5 h 45 min / 58 h / -
Beam distance	- / 201 m / 85 m / 25 m / -
Submersible	IPX8 (2 m)
Impact resistance	1 m / 3.28'
Battery	1 x 18650 Li-ion battery (included)
Dimensions	133 mm (length) x 25 mm (body dia.) x 27.5 mm (head dia.)
Weight	84 g / 2.96 oz (without battery)



## myTorch S SERIES

NEXTUNER 

NEXTUNER is the specialized software driving the Smart Torch Technology (STT), programmed and released by Nextorch. Downloading the NEXTUNER Application to your computer and then connecting the flashlight to computer by data cable, you can freely program your own modes. Easy to operate and customizing personalized brightness modes.

## USB Rechargeable Smart Torch

130  
LUMENS

AA

235  
LUMENS

2AA

300  
LUMENS

3AAA

660  
LUMENS

18650

860  
LUMENS

XL

## myTorch S AA



## myTorch S 2AA



## myTorch S 3AAA



## FEATURES

- \* Including 4 default modes, high - mid - low - strobe
- \* Able to download the NEXTUNER Application on computer and then use the specialized Smart Torch technology (STT) to reset your own modes and enter the previous mode setting
- \* Smart memory mode function for fitting use habits: press and hold the preferred mode over 5 seconds, and then turn off, press to light up again
- \* Compatible with the non-rechargeable alkaline batteries (included) and the rechargeable Ni-MH battery
- \* Smart direct charging system, to identify the battery type automatically and choose whether to charge, embedded with a LED indicator/red light for charging and green light for full charging
- \* Surface knurling anti-roll design, preventing the flashlight from easy dropping

LED	CREE® XP-G2 LED	CREE® XP-G2 LED	CREE® XM-L2 LED
Mode	130 lm / 65 lm / 2 lm / strobe	235 lm / 120 lm / 2 lm / strobe	300 lm / 150 lm / 2 lm / strobe
Runtime	1 h / 2 h / 30 h / -	1 h 15 min / 2 h / 50 h / -	2 h 30 min / 5 h / 55 h / -
Beam distance	81 m / 203.7ft	110 m / 360.8ft	140 m / 459.3ft
Waterproof	IPX7 (1 m)	IPX7 (1 m)	IPX7 (1 m)
Impact resistance	1 m / 3.2ft	1 m / 3.2ft	1 m / 3.2ft
Battery	1 × Alkaline AA ( included ) or 1 × NiMH AA	2 × Alkaline AA ( included ) or 2 × NiMH AA	3 × Alkaline AAA ( included ) or 3 × NiMH AAA
Dimensions	120 mm × 19.2 mm × 26.4 mm	170 mm × 19.2 mm × 26.4 mm	148 mm × 27.6 mm × 38 mm
Weight	66 g / 1.97 oz (without battery)	72 g / 2.54 oz (without battery)	136 g / 4.80 oz (without battery)

## myTorch S 18650



## myTorch S XL



## FEATURES

- \* Preset multi modes to satisfy different lighting needs
- \* Able to download the NEXTUNER Application on computer and then use the specialized Smart Torch technology (STT) to reset your own modes and enter the previous mode setting
- \* Powered by a high-capacity 18650 battery, supporting hundreds of charging, economical and environmentally friendly
- \* USB direct charging system with a LED indicator, red light for charging and green light for full charging
- \* Surface knurling anti-roll design, preventing the flashlight from easy dropping

LED	CREE® XM-L2 LED	CREE® XM-L2 LED
Mode	660 lm / 330 lm / 2 lm / strobe	860 lm / 430 lm / 30 lm / strobe
Runtime	1 h 15 min / 2 h 30 min / 110 h / -	2 h / 4 h / 35 h / 200 h / -
Beam distance	178 m / 583.9ft	203 m / 666ft
Waterproof	IPX7 (1 m)	IPX7 (1 m)
Impact resistance	1 m / 3.2ft	1 m / 3.2ft
Battery	1 × 18650 (included)	1 × ICR18650 (included)
Dimensions	154 mm × 26 mm × 36 mm	229 mm × 26 mm × 38.5 mm
Weight	136 g / 4.80 oz (without battery)	212 g / 7.48 oz (without battery)

# C SERIES

No matter what situation you have met in the dark, sudden car breakdown at night, maintenance work, outdoor camping, tripping blackout... C series can be an easy-to-operate reliable flashlight to lighten the darkness at your daily life.

140  
LUMENS

C1

250  
LUMENS

C2

380  
LUMENS

C3

700  
LUMENS

C4

## High-performance Easy-to-operate Compact Flashlight


- One tail-cap switch for multi-mode toggle
- Made of aerospace-grade aluminum and processed by Type III hard anodizing, durable and comfortable for use
- Equipped with a lanyard for easy everyday carry



	C1	C2	C3	C4
LED	CREE® XP-G3 LED	CREE® XP-G3 LED	CREE® XP-G3 LED	LUMINUS SET-20 LED
Mode	140 lm / 20 km	250 lm / 70 km	380 lm / 200 km / 40 km	700 lm / 300 km / 50 km
Runtime	1 h / 13 h	1 h / 40 h	1 h 30 min / 3 h / 30 h	2 h / 4 h / 35 h
Beam distance	86 m / 30 m	120 m / 60 m	190 m / 130 m / 50 m	340 m / 200 m / 85 m
Waterproof	IPX7 (1 m)	IPX7 (1 m)	IPX7 (1 m)	IPX7 (1 m)
Impact resistance	1 m / 3.28'	1 m / 3.28'	1 m / 3.28'	1 m / 3.28'
Battery	1 x AA (included)	2 x AA (included)	3 x AAA (included)	1 x 18650 (included)
Dimensions	102 mm x 19.2 mm x 26.4 mm	152 mm x 19.2 mm x 26.4 mm	127 mm x 27.5 mm x 36 mm	135 mm x 26 mm x 36 mm
Weight	50 g / 1.76 oz (without battery)	70 g / 2.47 oz (without battery)	110 g / 3.88 oz (without battery)	120 g / 4.23 oz (without battery)

# S SERIES

With the exquisite and fashionable design, this compact and portable flashlight series is perfect for everyday carry, able to be widely used in daily life to meet most of practical lighting needs.



## K11

### Ultra Bright Mini Keychain Light


100  
LUMENS

#### FEATURES

- \* CREE® XP-G3 LED, max output up to 100 lumens
- \* Powered by 1x AAA battery, max run time up to nearly 6 hours
- \* Twist the head easily for mode switch by one-handed operation
- \* Anti-roll, compact and stylish design make it a perfect EDC tool or an ideal gift



Powered by One Easy-to-find AAA Battery



Compact and Lightweight



Rotatable Head Switch



## K21/K21R

### Multi-purpose Rotatable Magnetic EDC Flashlight

K21  
160  
LUMENS

K21R  
300  
LUMENS

#### FEATURES


- \* Twist the head easily for mode switch by one-handed operation
- \* Magnetic tail cap for easy adsorbing on ironwork, to free your hands
- \* Equipped with a stainless steelclip, able to be used as a cap lamp
- \* Only 35 grams, compact and portable enough for daily carry



K21R  
(Equipped with one 14500 Rechargeable Battery)



K21  
(Equipped with 1 AA Battery)



Match with GTK as a Tactical Helmet Light



Attached to ironwork by magnetic tail cap



Used as a cap lamp with a sturdy clip



Rotates for ON/OFF and mode switch, easy one-handed operation

	K11	K21	K21R
LED	CREE® XP-G3 LED	CREE® XP-G3 LED	CREE® XP-G3 LED
Mode	100 lm / 22 lm	160 lm / 55 lm / 7 lm	300 lm / 53 lm / 8 lm
Runtime	1 h / 5 h 30 min	1h / 7 h 45 min / 14 h	3h 15 min / 12 h / 18 h
Beam distance	40 m / 131.2'	70 m / 229.7'	100 m / 328'
Waterproof	IPX7 (1 m)	IPX7 (1 m)	IPX7 (1 m)
Impact resistance	1 m / 3.28'	1 m / 3.28'	1 m / 3.28'
Battery	1 x AAA (included)	1 x AA (included)	One rechargeable 14500 battery (included) / 1 x AA
Dimensions	65.6 mm x 13.4 mm x 14.7 mm	79 mm x 18 mm x 19 mm	79 mm x 18 mm x 19 mm
Weight	15.4 g / 0.54 oz (without battery)	35 g / 1.23 oz (without battery)	35 g / 1.23 oz (without battery)



# MEDICAL PENLIGHT

## Dr.K3 SERIES



NEW

Dr.K3S



Dr.K3



Dr.K3 Pro

NEW



Dr.K3L

NEW

- Blue light hazard class RG0 (Risk Exempted)
- High color rendering index, RA > 90, with true tissue color rendition
- Uniform light spot design for better observation
- Pen-size appearance with a stainless clip, stylish, light-weight and portable
- Chrome-plated anti-skid tail switch, to ensure the normal use even when wearing gloves

Blue Light Hazard  
Rated Exempted, RG0Color Rendering Index, RA > 90  
high degree of color reductionUniform light spot, no shadow  
areas in medical inspectionCompact pen-size appearance  
with a clip for easy carry

	Dr.K3 Pro	Dr.K3L	Dr.K3S	Dr.K3
LED	Dual Light (Yellow & White)	Dual Light (Yellow & White)	LED (Yellow / Neutral White)	LED
Color Rendering Index(RA)	≥ 95	≥ 95	≥ 95	> 90
Blue-light Hazard Rate	RG0(Yellow)	RG0(Yellow)	RG0	RG0
Color Temperature(CCT)	3000K(Yellow)	3000K(Yellow)	5500K(White)	5000K(Yellow)
Modes	2 lm 10 lm 80 lm	2 lm 10 lm 75 lm	5000 K(Neutral White)	5000K
Runtime	19 h 5 h 30 min 55 min	42 h 15 h 1 h 30 min	55 h	15 h
Beam distance	5 m 10 m 28 m	7 m 15 m 40 m	---	---
Waterproof	IPX7 (1 m)	---	---	IPX7 (1 m)
Impact resistance	1 m / 3.28'	1 m / 3.28'	---	---
Battery	Built-in 320 mAh lithium battery	2 × AAA(included)	1 × AAA (included)	1 × AAA (included)
Dimensions	129.6 mm × 14.3 mm × 12.9 mm	149.8 mm × 14.3 mm × 13.3 mm	106 mm × 12.5 mm	122 mm × 12.9 mm × 14.3 mm
Weight	39.7 g / 1.4 oz (with battery)	27.8 g / 0.98 oz (without battery)	19.4 g / 0.68 oz (without battery)	38.5 g / 1.36 oz (without battery)



## K3R

Rechargeable Pocket-sized

350  
LUMENS



- \* Memory Mode: 2 seconds after turning off, turn on again to enter the previous-used mode
- \* Charging via the hidden Type-C direct charging port
- \* Pen-like compact size, convenient for everyday carry
- \* Equipped with a stainless-steel clip for easily hanging on pockets, backpacks, toolkits, etc.
- \* Chrome-plated anti-skid press switch



LED	CREE®XP-G3 LED
Mode	70 lm / 350 lm / 9 lm
Runtime	2 h / 45 min / 11 h
Beam distance	30 m / 71 m / 12 m
Water Resistant	IPX7 (1 m)
Impact resistance	1 m / 3.28'
Battery	Built-in 320 mAh lithium battery
Dimensions	123 mm x 12.9 mm x 14.3 mm
Weight	36 g / 1.27 oz (with battery)



## K3RT

Rechargeable Safety Penlight

330  
LUMENS



- \* Memory Mode: 2 seconds after turning off, turn on again to enter the previous-used mode
- \* Charging via the hidden Type-C direct charging port
- \* Pen-like compact size, convenient for everyday carry
- \* Equipped with a stainless-steel clip for easily hanging on pockets, backpacks, toolkits, etc.
- \* Chrome-plated anti-skid press switch
- \* The slide bezel of K3RT is embedded with high-hardness ceramic beads for quick window breaking and close defense



LED	CREE®XP-G3 LED
Mode	330 lm / 65 lm / 9 lm / strobe
Runtime	45 min / 2 h / 11 h / -
Beam distance	70 m / 30 m / 12 m / -
Water Resistant	IPX7 (1 m)
Impact resistance	1 m / 3.28'
Battery	Built-in 320 mAh lithium battery
Dimensions	125 mm x 12.9 mm x 14.3 mm
Weight	37 g / 1.31 oz (with battery)



## UT10

Multi-function Rechargeable Innovative COB LED Light



Asia Outdoor  
Industry Award 2019



USB Direct Charge Design

### FEATURES

- \* Dual light source emitting a wide and soft flood light, comfortable and no glaring
- \* Single button for 4 lighting mode switch, easy to control
- \* Matched with multiple optional accessories, for flexible use as a headlamp, cap light, bicycle light or helmet light
- \* Extremely lightweight design, only 37.8 grams for convenient carry

LED	COB
Mode	White: 170 lm / 20 lm    Red: 5 lm / flash
Runtime	2 h / 11 h    18 h / -
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	Built-in 640mAh Rechargeable Li-Ion Battery
Dimensions	65 mm x 45 mm x 17 mm
Weight	37.8 g / 1.33 oz (with battery)



Multi-purpose Clip



Headlight Strip



Bike Mount



Tactical Kit



As a cap light



As a headlamp



As a bicycle light



Tactical use on helmets or MOLLE

## UL10

Multi-purpose Clip Light



70  
LUMENS



Attach to Backpack Strap



On MOLLE Webbing



Use as Cap Light via Clip

FEATURES

- \* 3 high performance LEDs, max output 70 lumens
- \* Multi-purpose clip mount, mounts onto caps, pocket edges, any straps and MOLLE webbing gears, etc.
- \* 180 degree adjustable, easy flip-and-hold lighting
- \* Ultra-lightweight, overall weight 49.5 grams only (battery included)
- \* Able to exchange the clip with ECO STAR, TREK STAR, UT10 or other Nextorch clip lights

LED	LED
Mode	70 lm / 7 lm / S.O.S.
Runtime	4 h 30 min / 44 h / --
Beam distance	18 m / 59.1'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	2 x AAA (included)
Dimensions	32 mm x 48 mm x 54 mm
Weight	49.5 g / 1.75 oz (with batteries)

## UL12

Multi-function Flashing Clip Light for Police



17  
LUMENS



Night Caution on Duty



Document Check



Security Warning

FEATURES

- \* 3 modes for various needs: constant-on white, constant-on red, flashing (Red & Blue)
- \* Detachable clip for mounting on MOLLE, shoulder strap, backpack, cap, etc.
- \* Max 62 hours runtime in red-blue flash mode for long-journey duty needs
- \* 180° rotatable design to realize multi-angle lighting

LED	3 Color LEDs
Mode	17 lm (white) / 3 lm (red) / Red-Blue Flash
Runtime	7 h 30 min / 18 h / 62 h
Beam distance	13 m / 6 m / --
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	2 x AAA batteries (included)
Dimensions	32 mm x 48 mm x 54 mm
Weight	49 g / 1.73 oz (with batteries)

## GL20 UV

2-in-1 UV Keychain Light

60  
LUMENS



FEATURES

- \* 365 nm UV light for fluorescence detection, anti-counterfeit detection, etc.
- \* Built-in rechargeable Li-ion battery for USB direct charge
- \* Low battery reminder for reliable use
- \* Only 17.5 g, compact, stylish and portable

LED	LED
Mode	4 lm / 60 lm / Flash / UV light (365 nm)
Runtime	14 h / 1 h / -- / 8 h
Beam distance	23 m / 75.5'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	Built-in Rechargeable Li-ion battery
Dimensions	60.3 mm (length) x 33 mm (width) x 11.5 mm (height)
Weight	17.5 g / 0.62 oz (with battery)

## GL20

2-in-1 Laser Keychain Light

60  
LUMENS



FEATURES

- \* LED keychain light and laser pointer combo
- \* Compact and lightweight
- \* Powered by one built-in high-volume rechargeable Li-ion battery
- \* Micro USB charge with a built-in low battery LED indicator



Aqua Outdoor Industry Award 2017 Silver Award

LED	LED
Mode	4 lm / 60 lm / Flash / Laser
Runtime	10 h / 1 h / -- / 10 h
Beam distance	19 m / 62.3'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	Built-in Rechargeable Li-ion battery
Dimensions	60.3 mm x 33 mm x 11.5 mm
Weight	17.8 g / 0.63 oz (with battery)

## UL360

Multi-function Flashing Clip Light for Police



70  
LUMENS

## UL360

360° Utility Pocket Lantern



2016 ISPO AWARD



Attach to Ironwork by Magnetic Plate



S-Biner for Quick Attach



Elastic Strap for Tying Anywhere



Free Hands for Convenient Maintenance

FEATURES

- \* 3 modes for various needs: constant-on white, constant-on red, flashing (Red & Blue)
- \* Detachable clip for mounting on MOLLE, shoulder strap, backpack, cap, etc.
- \* Max 62 hours runtime in red-blue flash mode for long-journey duty needs
- \* 180° rotatable design to realize multi-angle lighting

LED	3 Color LEDs
Mode	17 lm (white) / 3 lm (red) / Red-Blue Flash
Runtime	7 h 30 min / 18 h / 62 h
Beam distance	13 m / 6 m / --
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	2 x AAA batteries (included)
Dimensions	32 mm x 48 mm x 54 mm
Weight	49 g / 1.73 oz (with batteries)

FEATURES

- \* Neutral White LED, emitting the gentle beam without hurting eyes in long use
- \* Tiny and compact, thumb-sized only, easy to operate
- \* 360° degree rotatable lamp body design, more practical all-round lighting
- \* Comes with a magnetic bottom plate, elastic string and S-biner for multi-purpose quick mounting

LED	LED
Mode	70 lm / 10 lm
Runtime	3 h 15 min / 30 h
Beam distance	5 m / 16.4'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	1 x AA (included)
Dimensions	78 mm x 34 mm x 21 mm
Weight	40 g / 1.41 oz (without battery)

# H SERIES

NEXTORCH headlamps can provide a smooth and strong illumination without dazzling eyes, for lighting up the dark while freeing your hands. They are highly appreciated by professionals for the versatile functions, high performances, comfortable ergonomic and light-weight design.

1200  
LUMENS

## Max Star NEW

High-output Magnet-controlled Headlamp

FEATURES

- \* 360° rotational magnetic dial switch for easy and quick mode switch
- \* Integrating the magnetic dial switch with the lamp head to ensure the lightweight of the headlight
- \* Three lighting modes to meet various outdoor needs
- \* Built-in 18650 battery provides the 40-hour longest runtime for safe use
- \* Type-C quick-charge port enables charging by power bank




360° Rotational Magnetic Dial Switch

180° Adjustable Multi-angle Lighting

Type-C Direct Charging with USB-C

LED	OSRAM P9 LED
Mode	1200 lm / 160 lm / 20 lm
Runtime	4 h 30 min / 8 h / 40 h
Beam distance	200 m / 72 m / 25 m
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	Built-in 2600 mAh 18650 battery
Dimensions	73.6 mm x 33.6 mm x 60.8 mm
Weight	147 g / 5.19 oz (with battery)

\*Above is the original sample data. The final data is subject to the official website release.



760  
LUMENS

600  
LUMENS

## myStar R NEW

360° Focus-adjustable Headlamp with Battery Compatibility

FEATURES

- \* 360° rotation provides smooth transition from flood light to long-range beam
- \* Compatible with the li-polymer rechargeable battery or 3\*AA alkaline batteries
- \* IPX4 water resistant design, easy to cope with rainy weather
- \* Partial pressure headband design for comfort in use over long periods

Compatible with Two Batteries



760lm



600lm



360° Rotatable Focusing Design

Detachable Battery Compartment for Compatible 3\*AA Batteries

Comfortable "Y" shaped Strap & Adjustable Multi-angle Lighting

LED	OSRAM P9 LED
Battery	3000 mAh Li-polymer Battery / 3 x AA Batteries
Mode	760 lm / 245 lm / 28 lm / S.O.S. 600 lm / 240 lm / 35 lm / S.O.S.
Runtime	4h45 min / 8h15 min / 81h / - / 4 h 30 min / 7 h / 55 h / -
Beam distance	220 m / 124 m / 42 m / - / 180 m / 118 m / 45 m / -
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
	Light body: 74 mm x 40 mm x 44 mm
	Battery pack: 76 mm x 28.5 mm x 82 mm
Dimensions	
Weight	120 g / 4.23 oz (without battery)





## myStar v2.0

760  
LUMENS

reddot award 2016  
winner

360° Focus-adjustable Rechargeable Headlamp



- FEATURES**
- Patented Fresnel Lens Focusing Technology, delivering a smooth transition from flood light to focused light by simply one-handed twisting the 360° swivel head
  - Built-in 3000 mAh lithium polymer battery as power supply, to ensure lighter weight, longer runtime and safer use
  - Partial pressure headband and ergonomic battery container for long-time comfortable wear
  - A slow flash-red light set on the battery container to enhance the visibility on the back and sides for safety
  - Available for Micro USB direct charge by computer, power bank, car charger, etc.



LED	OSRAM P9 LED
Mode	760 lm / 245 lm / 28 lm / S.O.S.
Runtime	4 h 45 min / 8 h 15 min / 81 h / -
Beam distance	220 m / 124 m / 42 m / -
Water resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	BuR: 3000 mAh Li-polymer battery light body: 74 mm x 40 mm x 44 mm battery pack: 76 mm x 28.5 mm x 82 mm
Dimensions	
Weight	175 g / 6.17 oz (with battery)



360° Rotary Focusing Technology

Red Safety Flash Visible from Back and Sides

Y-Shaped Straps Ensure Maximum Comfortable Fit

## myStar R AA

600  
LUMENS

360° Focus-adjustable AA-battery Headlamp



- FEATURES**
- 360° rotatable focusing design, able to adjust from spotlight to flood light for wider and farther lighting
  - 60° adjustable lighting angles of the lamp cap
  - Max. output: up to 600 lumens, bright enough to meet various outdoor and industrial lighting needs
  - Powered by 3 x AA batteries, easy to get and economical
  - IPX4 anti-rain design, always reliable and stable even in harsh environment



360° Rotatable Focusing Design

Powered by 3 x AA Batteries

Elastic Band with Adjustable Buckles for Comfortable Wear

LED	OSRAM P9 LED
Mode	600 lm / 240 lm / 35 lm / S.O.S.
Runtime	4 h 30 min / 7 h / 55 h / -
Beam distance	180 m / 118 m / 43 m / -
Water resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	3 x AA batteries (included)
Dimensions	Light body: 74 mm x 40 mm x 44 mm Battery pack: 76 mm x 28.5 mm x 82 mm
Weight	120 g / 4.23 oz (without battery)

## TREK STAR

Ultra Bright Multi-mode LED Headlamp



Red LED for Preserving Night Vision



Detachable Lamp

6 Colors Available

- FEATURES**
- \* White LED providing max output while red LEDs for gentler light to reduce eye strain
  - \* Single anti-skid side switch for 4-mode toggle and hidden one-touch S.O.S., easy to operate
  - \* 100° adjustable angles for multi-view lighting
  - \* Light-weight design with sweat-resistant headband for comfortable wear



220  
LUMENS

LED	1 × White LED, 2 × Red LEDs
Mode	220 lm / 125 lm / 9 lm / 98 lm / Red (2 hr) / S.O.S.
Runtime	2 h 30 min / 9 h / 98 h / 92 h / -
Beam distance	73 m / 239.50'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	3 × AAA (included)
Dimensions	55 mm × 38 mm × 32 mm
Weight	83 g / 2.92 oz (with battery)

## TREK STAR UV

Ultra Bright White & UV LED Headlamp




Scorpion Finder



Detecting Currency

- FEATURES**
- \* Designed for finding scorpions, detecting fake currency, passports, ID/crime scene analysis, etc.
  - \* Single anti-skid side switch for 4-mode toggle and hidden one-touch S.O.S., easy to operate
  - \* 100° adjustable angles for multi-view lighting
  - \* Light-weight design with sweat-resistant headband for comfortable wear



220  
LUMENS

UV Wavelength: 405nm

LED	1 × White LED, 2 × UV LEDs
Mode	220 lm / 125 lm / 9 lm / 98 lm / UV Light / S.O.S.
Runtime	2 h 30 min / 9 h / 98 h / - / -
Beam distance	73 m / 239.50'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	3 × AAA (included)
Dimensions	55 mm × 38 mm × 32 mm
Weight	49 g / 1.72 oz (without battery)

## ECO STAR

Lightweight Headlamp and Clip Light Combo



Dismountable for Easy Carry

2 × White LEDs, 1 × Red LED



Detachable clip included

4 Colors Available

- FEATURES**
- \* White LEDs providing max output while a red LED for gentler light to reduce eye strain
  - \* 180° adjustable angles for multi-view lighting
  - \* With a detachable clip, able to mount onto the cap, pack strap, belt, MOLLE, etc.
  - \* Light-weight design with sweat-resistant headband for comfortable wear



48  
LUMENS

LED	2 × White LEDs, 1 × Red LED
Mode	48 lm / 4.8 lm / Red (5 min) / S.O.S.
Runtime	8 h / 49 h / 110 h / -
Beam distance	16 m / 52.49'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	2 × AAA (included)
Dimensions	54 mm × 42 mm × 21 mm
Weight	71 g / 2.50 oz (with battery)

## ECO STAR UV

Lightweight White & UV LED Headlamp



Scorpion Finder



Detecting Currency

- FEATURES**
- \* Designed for finding scorpions, detecting fake currency, passports, ID/crime scene analysis, etc.
  - \* Single anti-skid side switch for 3-mode toggle and hidden one-touch S.O.S., easy to operate
  - \* 180° adjustable angles for multi-view lighting
  - \* Light-weight design with sweat-resistant headband for comfortable wear
  - \* Detachable design also providing more hand held lighting ways



48  
LUMENS

UV Wavelength: 405nm

LED	2 × White LEDs, 1 × UV LED
Mode	48 lm / 4.8 lm / UV Light / S.O.S.
Runtime	8 h / 49 h / - / -
Beam distance	16 m / 52.49'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	2 × AAA (included)
Dimensions	54 mm × 42 mm × 21 mm
Weight	38 g / 1.34 oz (without battery)

# BIKE LIGHT

NEXTORCH Bike Lights feature a patented RSL technology – providing a unique rectangular light Spot, delivering a 160-degree wide-angle flood light to realize whole-road lighting, which is bright and visible enough to guarantee rider's safety on the road at night.

## B10 (BLACK)




**4 × AA High-output Bike Light with Rectangular Spot**  
Designed for urban city and around-town commuting

The NEXTORCH B10 is a perfect light for riding, urban city and around-town commuting. It features patented RSL technology to provide a unique rectangular spot, delivering a 160-degree wide beam and whole-road lighting for greater visibility to guarantee rider's comfort and safety. The anti-glare design can focus the light on the roadway without dazzling the oncoming drivers and pedestrians. B10 has 4 modes, max output up to 420 lumens. Powered by 4 × AA batteries, a low battery indicator keeps you aware of the power supply condition. The bracket allows you to quickly and easily attach B10 to virtually any handlebars.



420  
LUMENS



Rectangular Spot Lens Technology



Anti-glare Design



160° Wide Beam



Adjustable 360 Degree Rotation

## B20



**800 Lumen Bike Light with Remote Pressure Switch**  
Professional Bicycle Lighting Solution with: bike light, wire-controlled switch, bike saddle bag, signal light.

Featuring NEXTORCH patented RSL technology, B20 can generate a broad 160-degree wide beam with a long range of 100 meters, providing riders an excellent visibility of the entire road lighting to ensure safety. The specialized anti-glare design cuts the beam horizontally and only aiming to the ground, keeping the pedestrians from blinding or disturbing by possible glare. Powered by external mobile power, B20 is compatible with most power banks in the market and has four levels of brightness, covering a range from 100 to 800 lumens. The interface is easy to operate simply by either pressing the button on the light or using the remote pressure switch. The elastic universal strap mount allows you to quickly attach or detach the light from the bike.



800  
LUMENS



Compatible with Most of Power Banks in the Market



Wire-controlled Switch for Operations at Your Fingertips

### Optional Accessories



TS20-L Wire-controlled Switch V20 Bike Saddle Bag SL50 Bicycle Signal Light

### FEATURES

- \* Ultra-bright 800 lumens, max runtime up to 40 hours
- \* Rectangular Spot Lens technology provides a 160° beam for whole road illumination
- \* Anti-glare design, prevents possible glare from blinding or disturbing pedestrians
- \* Independent light and bracket for quick attachment / detachment
- \* Weather-resistant design for use in harsh conditions

LED	CREE® XM L2 LED
Mode	100 lm / 200 lm / 380 lm / 800 lm / flash
Runtime	40 h / 20 h / 12 h / 9 h / -
Beam distance	100 m / 328.08'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	Power bank
Dimensions	70 mm × 35 mm × 52 mm
Weight	117 g / 4.12 oz (without battery)



CHINA OUTDOOR INDUSTRY  
ANNUAL AWARDS

LED	CREE® XP-G2 LED
Mode	93 lm / 245 lm / 420 lm / flash
Runtime	22 h / 5 h 15 min / 1 h 45 min / -
Beam distance	75 m / 246.06'
Water Resistant	IPX4
Impact resistance	1 m / 3.28'
Battery	4 × AA (included)
Dimensions	100 mm × 97 mm × 34 mm
Weight	160 g / 5.64 oz (without battery)

# GLO-TOOB®

GLO-TOOB was conceived in 1996 by Dave Kessel and Lewton Levy after a night SCUBA dive in South Africa. Using the existing product of that time, they were unhappy with its reliability and it was also proving itself to be an environmental hazard. Dave Kessel decided to make a signal lamp specifically for SCUBA market. He found NEXTORCH and worked together to turn ideas into products. After a few years of improvement, in 2002, the finalized GLO-TOOB had been patented and released to the market.

GLO-TOOB is an essential piece of safety equipment that you should not miss. Available in various colors, GLO-TOOB allows you to be seen at a distance or provides you with ample light in a confined area.

All Rights Reserved  
© Copyright 2010



## GT-AAA Aurora Signal Light NEW

- Red / Green / Blue multiple light sources, up to 7 modes
- 360° viewing angle, all-rounded signal alert provided
- Exquisite fashion appearance, thumb size
- 200-meter waterproof, available for deep diving
- Fits with Glo-Toob Tactical Kit, able to be mounted onto Ops-Core, webbing and velcro loop surface

LED	Red / Green / Blue LEDs
Mode	Constant on / Flash
Runtime	14 h / 17 h / 17 h / 32 h / 35 h / 35 h / 48 h
Depth Rating	200 m (656 ft)
Battery	1 x AAA
Dimensions	77.4 mm x 19 mm
Weight	29 g / 1.02 oz (without battery)




## GTK

- Designed to work with Ops-Core ARC Ralls
- The webbing base plate fits 1" webbing of any MOLLE / PALS
- Velcro attaching option provided
- Quickly and safely attaches to and detaches from helmets and webbing in seconds



Dimensions	68.4 mm x 50.3 mm x 27.9 mm
Ring Size	18.8 mm - 19.8 mm
Colors Available	Black
Weight	27 g / 0.95 oz
Material	PA + GF



GT-AAA




GT-AAA PRO



GT-AAA IR

	GT-AAA	GT-AAA PRO	GT-AAA IR
Number of Modes	3 Modes	3 Modes	3 Modes
Battery Type	1 x AAA	1 x AAA	1 x AAA
Colors Available			IR
Runtime	4-15 h	5.5 - 27 h	5.5 - 27 h
Depth Rating	60 m (200 ft)	200 m (656 ft)	200 m (656 ft)
Dimensions	75 mm x 19 mm	76 mm x 19 mm	77 mm x 19 mm
Weight	34 g / 1.2 oz (with battery)	29.5 g / 1.04 oz (without battery)	26.5 g / 0.93 oz (without battery)





## ACCESSORIES


**750mAh 14500**  
**USB RECHARGEABLE LI-ION BATTERY**

3.6 V 750mAh USB rechargeable Li-ion battery with a direct charging port, also compatible with 14500 charger, 500-time recycle charging


**2020mAh RCR123A**  
**USB RECHARGEABLE LI-ION BATTERY**

3.0 V voltage, specially designed for gun light and flashlights powered by CR123A batteries, more than 300-time cyclical charging and discharging, multiple circuit protection for secure usage


**3400mAh 18650**  
**USB RECHARGEABLE LI-ION BATTERY**

3.6 V 3400mAh USB rechargeable Li-ion battery with integrated battery overcharge / discharge protection circuits and 3 set of overheat protection, safe and durable, embedded with a charging indicator, 500-time recycle charging


**V6**  
**Compactable Holster**

360° rotatable and double-open design for using flashlights inside normally and freeing hands; changing the number of rubber bands to adjust the tightness of quick-lock; fits TA30, TA01, TA15, E6 and other flashlights of a 27-30 mm head diameter


**V5**  
**Tactical Polymer Holster**

Adaptive polymer holster, 360-degree rotatable, quick draw available; features a lever side lock mechanism; fits belts less than 2" width; for T7, T5, T53, T56, TA5, PA5, P45 Dual Light, TA40, T64 or other flashlights of 25 mm - 32 mm (1"-1.25") diameter


**V1**  
**Durable Nylon Holster**

For TA30, TA15, T45, PA5, P5 DUAL LIGHT, TA40, T64, myTorch S 18650, myTorch S XL


**D10 UNIVERSAL BATTERY CHARGER**  
**\* Battery not included**

Compatible with 5 V USB power supply, stretchable battery compartment design, compatible with various cells like 10440 / 14500 / 16340 / 18650 battery; zero volt activation, to activate the unusable battery of low tension caused by over-discharge or long time placement; efficient three gradation charging design to effectively extend the battery life and avoid overcharge


**2600mAh 18650 Lion Battery**

3.7 V 2600mAh rechargeable Li-ion battery with over-charger / over-discharge protection circuit; compatible for 18650 flashlights


**18650 CHARGER KIT**

2600mAh 18650 rechargeable Li-ion battery with in-car 5.1 dual chargers; for T5, TA30, TA5, PA5, P5 DUAL LIGHT, TA40, TA40 SET


**FR-1**  
**Tactical Flashlight Ring**

An essential supplement to tactical flashlights; more secure with it when operating with guns; able to offer quick draw function, deep carrying and oriented lighting, and even work as a punching tool when necessary; fits flashlights with a tail-cap switch of 23.2 mm - 25.5 mm diameter; designed for TA30, TA01, E6


**RM55**  
**Universal Tactical Mount**

Fits flashlight body size: 23 mm-28 mm (0.91"-1.10"); for T5, T7, T53, T56, TA01, TA30, TA40, TA5, PA5, P40, P5 Dual Light


**RM255**  
**Tactical Picatinny Gun Mount**

Fits flashlight body size: 22 mm-26.5 mm (0.87"-1.04"); for T5, T7, T53, T56, TA10, TA30, TA15, TA5, TA40, PA5, P5 Dual Light


**BA50**  
**Fast Charging Waterproof Li-Ion Battery Pack and Power Bank Combo**

Used as both a 10400mAh 18650 Li-ion battery pack for Saint Torch11 / 30 and a three-proofing high-volume power bank; Type-C quick charge, fully charged for 3 hours; IPX7, 1 meter waterproof, impact resistant and dust-proof; multiple circuit protection for secure usage; 500-time recycle charging


**HM30**  
**Multi-purpose Handle Mount**

Specially designed for Saint Torch series for more uses; able to be used as a hand lamp with a IM30, combining with a tripod to make the flashlight a camp lamp or a stationary light; with a standard rail hole on the handle, torches can be mounted on guns as a weapon light


**RM87**  
**Magnetic Universal Mount**

Fits flashlight body size: 23 mm-26.5 mm (0.91"-1.04"); for T5, T7, TA01, TA40, TA5, P40


**RM85**  
**Quick Tighen / Release Scope Mount**

Fits flashlight body size: 20 mm-28 mm (0.79"-1.1"); fits scope body size: 26.6 mm-30 mm (1.05"-1.18"); for TA01, T5, T7, T53, T56, TA15, TA30, TA5, TA40, T64, PA5, P5 Dual Light


**TS41-L**  
**Tactical Remote Switch**

Quickly access to momentary-on and constant on modes; waterproof construction; for T7, T56, T53, T44, TA40 flashlight


**V30**  
**Multi-function Carry Bag**

With T-Type Velcro inside, able to be divided into 3 spaces; apply high-quality Nylon as main fabric, wearproof, durable, water-fast; set up with MOLLE webbings for placing tactical equipments; adjustable & detachable shoulder straps providing multiple carry ways


**SL20**  
**Light-weight Waterproof Bicycle Signal Light**

Two flashing modes: fast and slow flash of red and blue light; bright and eye-catching enough as an effective warning; powered by a replaceable button battery; easily installing the signal light on bike with the HOOK LOOP included


**FT32**  
**3 Color Filter**

Filter kit with holder, replaceable lens; 3 color lens with high transmittance (red / green / blue); for TA40, TA3, T64, T5, PA5


**HM1**  
**Helmet Flashlight Mount**

360° rotatable; easy mounting; fits flashlight body size: 18 mm-35 mm (0.71"-1.38"); for T5, T7, T53, T56, TA01, TA30, TA15, TA5, PA5, TA40, T64, P5 Dual Light


**HM2**  
**Light-weight Multi-angle Mount**


360° rotatable easy mounting; fits flashlight body size: 22 mm-30 mm (0.87"-1.18"); for T5, C3, C4, T64, myTorch S 3AAA, myTorch S 18650


**BM1**  
**Bike Flashlight Mount**

Fits flashlight body size: 23mm-28mm (0.9"-1.1"); fits steel pipe size: 22 mm-25.6 mm (0.87"-1.0"); for T5, T7, TA01, TA30, TA15, TA5, PA5, TA40

# NEX

LIGHT-WEIGHT  
MECHANICAL DUTY BATON



NEX, dedicates to provide the world with the reliable high-performance and high-quality mechanical batons. NEXLOCK SYSTEM is the basis of all innovation in NEX mechanical batons. It innovatively integrates the locking structure into one component to strengthen the core performance of mechanical batons. Processed by precision CNC, every NEX mechanical baton is equally outstanding for good stability and consistency.



Smooth Extension  
& Retraction



Solid  
Locking



2 meter  
Impact Resistance



TR Certificate

## QUICKER

### Extendable Mechanical Duty Baton Series

#### FEATURES

- High-tech locking mechanism NEXLOCK, stable enough to assure reliable and secure actions while striking, jabbing and blocking
- Easily released with a very simple push on the tail-cap button
- Superior materials, exceptional workmanship and flawless functions to provide a sturdier hold in the hand
- Able to break windows in emergency by optional hardened Nano-ceramic tip



NEX 17"

NEX 21"  
(Al/Steel)

NEX 21"  
(Titan)

NEX 23"

Specifications	N17C Quic (Al)	N21C Quic (Al / Steel)	N23C Quic (Al)
Length	Extension: 17" (413 ± 1 mm)	21" (509 ± 1 mm)	23" (584 ± 1 mm)
	Retraction: 7.56" (192 ± 1.5 mm)	8.82" (224 ± 1.5 mm)	9.80" (250 ± 1.5 mm)
Weight	≤ 10.23 oz (290 g)	≤ 12.35 oz (350 g)	≤ 13.4 oz (380 g)
		≤ 12.35 oz (350 g)	
		≤ 19.75 oz (560 g)	
Material	Body: Alloy Steel + Aerospace Aluminum / Alloy Steel (Steel Version)		
	Handle: TPE Rubber		
Finish		Black Electroless Nickel	
Handle Diameter		φ 28 ± 1 mm	
Impact Resistance		2 m	
Anti-strike Ability		≥ 3000 Times	
Scalability		≥ 3000 Times	
Corrosion Resistance		Level 9	
Tensile Strength		1000 N	
Bending Strength		5000 N	
Locking Structure		NEXLOCK	

## ACCESSORIES

### V70

#### Dual-purpose Holster

- Compatible with Batons & Flashlights
- Ideal carry choice for batons due to its quick expanding in emergency for gaining the initiative and stable locking for avoiding accidental drop down in fierce action
- Supporting 360 degree rotation and 16 angles of fixation
- Available for both quick & non-rapid extraction of batons
- Lightweight selected materials, hard-wearing, anti-corrosive, and not easy for aging

Adaptive Baton Size	17" / 21" / 23" Duty Baton
Applicable Flashlight	
Head / Tail Dia.	25-32 mm
Fitting Belt Size	≤ 50 mm
Dimension	65.4 mm x 50 mm x 134.6 mm
Weight	88 g / 3.1 oz



360° Rotation for 16 Fixed Angles



As a Flashlight Holster, Two-Way Insertion Available

### V71

#### Nylon Baton Holster

- Made of high-quality 1000D nylon fabric, for high wear resistance and tear resistance
- Designed for the close carry of baton by applying MOLLE mount, able to be mounted on the tactical waistcoat, backpack, waist belt or other equipments with MOLLE webbings, convenient and practical

Adaptive Baton Size	17" / 21" / 23"
Dimension	157 mm x 50 mm x 45 mm
Weight	50 g / 1.76 oz



For Easy Carry and Effective Protection



Baton Window-Breaking Tip



Baton Grip Ring



## WALKER

Extendable Portable Baton Series

- Innovative NEXLOCK locking structure for quick and stable extension
- Press the tail button to unlock and retract the baton rapidly
- Equipped with a window-breaking tip for emergency and a portable clip for hands-free operation and concealed carry



#### MORE PORTABLE



#### SPECIFICATIONS

	NEX 12" (Air)	NEX 16" (Air / Steel)	NEX 20" (Air)
	Finish	BLACK	
Retraction	6.22" (158 ± 1.5 mm)	7.52" (191 ± 1.5 mm)	8.82" (224 ± 1.5 mm)
Extension	12" (302 ± 2 mm)	16" (401 ± 2 mm)	20" (500 ± 2 mm)
Weight	≤ 6.35 oz (180 g)	≤ 7.41 oz (210 g) ≤ 13.23 oz (376 g)	≤ 8.82 oz (250 g)
Handle Diameter	22 mm ± 1 mm		
Body Material	Alloy Steel + Aerospace Aluminum / Alloy Steel (Steel Version)		
Impact Resistance	2 m		
Anti-Strike Ability	≥ 3000 Times		
Scalability	≥ 3000 Times		
Corrosion Resistance	Level 9		
Tensile Strength	1000 N		
Bending Strength	3000 N		
Locking Structure	NEXLOCK		


**NEX 18**

NEW

Self-defense Portable Baton with flashlight

300  
LUMENS

- 16" mechanical portable baton combined with a flashlight to satisfy the needs of self-defense and daily lighting
- Rotational tail switch for easy mode toggle, max output 300 lumens
- Equipped with a window-breaking tip for emergency



LED	CREE® XP-G3 LED
Mode	300 lm / 30 lm / strobe
Runtime	1 h / 8 h / -
Beam distance	100 m
Waterproof	IPX7
Battery	1 x USB Rechargeable 14500 (included)
Weight	260 g / 9.17 oz (without battery)
Finish	Black
Body Material	Alloy Steel & Aerospace Aluminum

Retraction	265 ± 1.5 mm
Extension	474 ± 2 mm
Handle Diameter	26.7 ± 1 mm
Impact Resistance	2 m
Anti-Strike Ability	≥ 3000 Times
Scalability	≥ 3000 Times
Corrosion Resistance	Level 9
Tensile Strength	1000 N
Bending Strength	3000 N
Locking Structure	NEXLOCK

\* Above is the original sample data. The final data is subject to the official website release.

**ACCESSORIES****V68** NEW

Portable Baton Genuine-Leather Holster

- Made of genuine leather, lightweight and durable
- Design for NEX Walker baton (12" / 16" / 20")
- Fits belt width up to 45 mm
- Ideal for plainclothes carry

**V69** NEW

Portable Baton Nylon Holster

- Made of nylon material
- Design for NEX Walker baton (16" / 20")
- Able to be mounted on the tactical waistcoat, backpack, waist belt or other equipments with MOLLE webbings, convenient and stable



NexTool®



NexTool, sub brand of NEXTROCH, is dedicated to delighting your life with the most innovative and high-quality products. To express the passion for life, the meaning of life, this time we need no words, no characters and yet eyes or smile, but NexTool.

With its simplicity and versatility, it is a tool wherever you can bring with.

It is not just a tool but your intimate friend, who has no words but just right there whenever you need.



# FLAGSHIP PRO

16-in-1 Multi-pliers




16  
✂

## Multi Functions

NEW

- ① Needlenose Pliers
- ② Regular Pliers
- ③ Premium Replaceable Wire Cutter
- ④ Premium Replaceable Hard-wire Cutter
- ⑤ Thick-wire Cutter
- ⑥ Wood Saw
- ⑦ Knife
- ⑧ Phillips Screwdriver
- ⑨ Line Cutter
- ⑩ Can Opener
- ⑪ Wire Stripper
- ⑫ Bottle Opener
- ⑬ Flat Screwdriver
- ⑭ Glass Breaker
- ⑮ Scissors
- ⑯ Ruler



## Main Features:

- A pair of big scissors with 30 mm long cutting blade, more practical
- A high-hardness Nano-ceramic bead as efficient tempered-glass breaker
- Combining total 5 regular pliers, to satisfy various daily needs
- A wood saw with two-sided cross sawtooth for double cutting force
- A unique hook-design line cutter and box opener for opening boxes safely without damaging products inside

Body Material	300-13
Pliers Head Material	300-13
Blade Material	500-13Mov
Pliers Head Cutting Edge Tool Material	K30 (YG) hard alloy
Surface Finish	Wood Saw / Scissors: sanding Others: sand blasting
Dimension	Close: 110 mm × 40 mm × 21.5 mm
Weight	245 g ± 5 g



# MINI FLAGSHIP

10-in-1 Multi-function EDC Tool




10  
✂

## Multi Functions

NEW

- ① Needlenose Pliers
- ② Gripper
- ③ Wire Cutter(Soft)
- ④ File
- ⑤ Flat-Screwdriver
- ⑥ Phillips Screwdriver
- ⑦ Can Opener
- ⑧ Knife
- ⑨ Bottle Opener
- ⑩ Scissors



Mini Multi-tool is able to solve your daily repairing by assembling the pliers, knife, screwdriver, bottle opener, can opener and other tools in one. 65 mm super mini in size, but strong in functions, easy to meet daily needs, such as cutting, twisting, screwing, peeling, etc. And it offers both elegant user feeling and rather convenient carry.



Closed Size:

62 mm x 26 mm x 14.6 mm

Main Material:

30Cr13 Stainless Steel

Weight: 78 g



# MOTOOL

10-in-1 Multi-function Wrench



10





## Multi Functions NEW


- ① Needle-nose Pliers
- ② Regular Pliers
- ③ Wire Cutters
- ④ Thick-wire Cutters
- ⑤ Wood Saw
- ⑥ Wrench
- ⑦ Knife
- ⑧ Flat-head Screwdriver
- ⑨ Phillips Screwdriver
- ⑩ Ruler (10 cm)

### Main Features:

- MoTool with 10 kinds of practical functions in one, equals to a set of integrated toolbox
- Easy to deal with daily needs of wrenching, twisting, screwing, cutting, peeling, sawing and etc.
- The maximum opening size on wrench over 22 mm, able to be used for bicycle and household faucet repair
- An intimate wrench limiting stopper design for easier use, without worrying about the wrench parts falling off or get lost
- Made of high carbon 3Cr13 stainless steel, with high strength, high hardness, wear resistance and durability



Closed Size: 133 mm x 40.5 mm x 20 mm  
Main Material: 3Cr13




# FRIGATE

14-in-1 Multi-function Folding Shovel



14




Nextool multi-function folding shovel advances the tradition of the classic survival shovel by making it more durable, more portable and more powerful. You can carry it with you easily by using the included nylon bag or keep it in your pack for digging, hoeing, sawing and other essential survival tasks.

## Multi Functions

- ① Compass
- ② Glass Breaker
- ③ Survival Whistle
- ④ Fire Stick
- ⑤ Flat-head Screwdriver
- ⑥ Phillips Screwdriver
- ⑦ Outer Hexagon Wrench (12 mm)
- ⑧ Outer Hexagon Wrench (14 mm)
- ⑨ Line Cutter
- ⑩ Bottle Opener
- ⑪ Sawtooth
- ⑫ Shovel
- ⑬ Hoe
- ⑭ Hook

## Main Features:

- The multi-use spade head can be adjusted to function as different tools like shovel, hoe and hook by loosening the handle thread
- High quality materials: the spade head and handle are respectively made of anti-corrosion 20Cr13 martensitic stainless steel and high-strength 6061-T6 aviation aluminum, to ensure years of heavy use in austere conditions
- This durable model with detachable frames is packable and portable, so that you can have a shovel or multi-function tool whenever and wherever you need



# SAFETY PEN

NexTool safety pen series is one of the top-class safety pens of its kind, as both a reliable defender and a good writing tool. Embedded with a special tungsten-steel tip or a Nano-ceramic strike tip, NexTool safety pen reaches above HRA99 at hardness, able to break tempered glass in emergency and attack for self-defense. Besides, applying the NASA-developed Fisher Space Pen cartridge, it can write normally at freezing temperatures, boiling heat, and even in zero-gravity environment.

As a strength, utility and beauty combo, NexTool safety pen must be one of your essential tools.




# Tao SERIES

## Key-shaped Box Opener and Folding Knife

Tao series is designed to open packages easily and safely without damaging the products inside. It can also be used as a rope cutter and folding knife when you are in need.


The key-size multi-tool can attach to your keychain and fit in the pocket greatly, convenient to carry and for use.



Writing



Self-defense



Tactical Defense



Emergency Rescue

### Pallas — KT5513A

Safety Pen with Nano-ceramic Pen Tip



Body Material	T7075 Aerospace Grade Aluminum
Body Finish	Mil-Spec Type III Hard Anodized
Strike Tip Material	Nano-ceramic

Cartridge	Fisher Space Pen SPR4 (Black)
Length	143 mm / 5.6"
Weight	21 g / 0.74 oz

### Dino Bone — KT5506

Safety Pen with Tungsten-steel Pen Tip



Hollow-out Carven Design of Dragon Bone

Body Material	6061-T6 Aerospace Grade Aluminum
Body Finish	Mil-Spec Type III Hard Anodized
Strike Tip Material	Tungsten-steel

Cartridge	Fisher Space Pen SPR4 (Black)
Length	145 mm / 5.7"
Weight	28 g / 1.0 oz

### Tao Bar / TaoTool / TaoTool S

#### Multi-function Box Opener

- Non-stick Teflon coating prevents the blade from getting smudged with the sticky glue, easy for maintenance
- The unique hook-shaped blade designed for safely opening packages without damaging the products inside
- Sweden Sandvik® steel cutting edge, enduringly sharp and sturdy enough
- Compact and portable key size for everyday carry, always there ready for you

### Tao Bar KT5016



### TaoTool KT5509



### TaoTool S KT5015



### SHARK KT5021 MINI BOX OPENER




Tao Bar	TaoTool	TaoTool S	SHARK
Material (Blade / Handle)	Sandvik® 12C27 / 2Cr13	Sandvik® 12C27 / 2Cr13	Sandvik® 12C27 / PA+50%glass fiber
Coating (Blade / Handle)	Teflon / Titanium Plating	Teflon	3D Spray Painting
Length (Open / Closed)	113 mm / 61 mm	110.6 mm / 68 mm	2.7" (68 mm)
Weight	16.1 g / 0.57 oz	32 g / 1.13 oz	10 g / 0.35 oz

# KO FUN SERIES

Delight your life with the most innovative and fun tools

KO FUN family is a series of tiny multi-function gadgets, devoting to create fun for you and ease your life.



## Captain Gulp — KT501B



## Kiwa Clip — KT5201



	Captain Gulp	com2eat	Kiwa Clip	Grin Bar
Material	30/13 Stainless Steel	420J2 Stainless Steel	420J2 Stainless Steel	Stainless Steel
Finish	Teflon	Teflon	Mirror	Stone Wash
Dimensions	65 mm × 41.5 mm × 2.8 mm	75 mm × 44 mm × 3 mm	88 mm × 27 mm × 17 mm	60 mm × 42 mm × 2.5 mm
Weight	24.7 g / 0.87 oz	27 g / 0.95 oz	35 g / 1.23 oz	15 g / 0.53 oz

## com2eat — KT5013




## Grin Bar — KT504




## Monster Mouth — KT5010

Material	30/13 Stainless Steel
Finish	Satin Finish
Dimension	73 mm × 39 mm × 3 mm
Weight	27 g




## Finger Bro — KT5009

Material	30/13 Stainless Steel
Finish	Satin Finish
Dimension	82 mm × 34 mm × 3 mm
Weight	22 g




## Tiny Sting — KT5008

Material	30/13 Stainless Steel
Finish	Satin Finish
Dimension	73 mm × 50 mm × 3 mm
Weight	27 g




## Glacial Pegasus — KT5006

Material	30/13 Stainless Steel
Finish	Satin Finish
Dimension	82 mm × 36 mm × 3 mm
Weight	28 g



## Happy Hero — KT5007

Material	30/13 Stainless Steel
Finish	Satin Finish
Dimension	73 mm × 36 mm × 3 mm
Weight	21 g






# Tekut®

## EXQUISITE KNIFE MAKER

Founded in 2004, Tekut, sub-brand of NEXTORCH, is committed to the design and manufacture of exquisite knives. The trademark Tekut originates from the similar pronunciation of words "to cut" to convey its product design concept, born for cutting.

Tekut has proceeded with the modification of knife shapes, the improvement of structures and the calculation of product weight for better user experience, safer operation and being easier to carry. Ranging from convenient EDC tools, portable sturdy knives, to other special tactical and law enforcement needs, Tekut can satisfy you with the trustworthy solution and high-quality products.

When you own a Tekut knife, what you hold is rather a good partner than just a cold tool.



## DYNAMIFE TK0130 NEW

Assisted-opening Folding Knife



Adjustable Clip

Material (Blade / Handle)	7Cr17MoV / G10
Hardness	HRC 56 - 58
Lock Style	Liner Lock
Length (Overall / Blade)	6.9" (175.8 mm) / 4" (101.4 mm)
Weight	98 g / 3.46 oz

- Apply an internal spring-assisted mechanism for one-hand quick opening
- Compatible with quick opening & non-quick opening design: when the knife is unfolded, push up / down the stud on the knife handle, to close / open the spring-assisted function
- Set with a locking function by pushing a thumbstud attached to the blade to open the knife, for avoiding the safety hazard caused by misoperation
- Natural and smooth blade line, with a sinking drop-head head for excellent puncturing and cutting performance
- Adjustable clip to meet the needs of fast access and concealed carrying

## PECKER TK0129 NEW

Pocket Knife



Compact Clip

Material (Blade / Handle)	7Cr17MoV
Coating	Black Titanium
Hardness	HRC 54
Lock Style	Patented 7-Lock
Length (Overall / Blade)	6.3" (161 mm) / 3.86" (98 mm)
Weight	40 g / 1.4 oz

- Made of high-performance 7Cr17MoV steel, wearable and corrosion resistant, to ensure better durability and sharpness
- Patented 7-Lock (patent number: ZL200720005418.7, utility model), specially designed for both realizing the reliable locking and reducing the weight of its handle
- Compact appearance with a clip and lanyard hole on the handle, easy to carry around and use at any time
- Black titanium coating for unique and chic looking

## ZERO LK5276/LK5277



Material (Blade / Handle)	Stainless Steel / G10
Hardness	HRC 56-58
Lock Style	Liner Lock
Length (Overall / Blade)	7.06" (180 mm) / 3.84" (100 mm)
Weight	63 g / 2.22 oz

- 3.84-inch blade made from high-performance steel for good edge retention
- G10 handle for a lightweight and solid feel in your hand
- Patented retractable clip for concealed and convenient carry

## TOUGH LK5280



Material (Blade / Handle)	Stainless Steel / G10
Hardness	HRC 57-59
Lock Style	Liner Lock
Length (Overall / Blade)	7.86" (200 mm) / 4.32" (110 mm)
Weight	135 g / 5.82 oz

- Heavy-duty folding knife designed for hard use
- Typical reverse tanto blade made from high-performance stainless steel, high quality, sharp and durable
- G10 handle with 90 mm thickness, providing a super hardness and good hand feel
- Patented retractable clip design, allowing users to put it deeply inside the pocket for concealed carry

## TIBURON LK5278



Material (Blade / Handle)	Stainless Steel / G10
Coating	Sand Blasting
Hardness	HRC 57-59
Lock Style	Liner Lock
Length (Overall / Blade)	8.66" (220 mm) / 4.68" (121 mm)
Weight	155 g / 5.47 oz

- Drop point with plain-edge blade made from high-performance stainless steel, providing a good anti-corrosion performance, high quality and durable
- G10 handle with texture for a comfortable and secure grip
- Patented retractable clip for concealed and convenient carry

## SMALL ARES LK5283



Material (Blade / Handle)	Stainless Steel / PA+GF
Hardness	HRC 57-59
Lock Style	Liner Lock
Length (Overall / Blade)	6.7" (170 mm) / 4.02" (102 mm)
Weight	93.2 g / 3.29 oz

- Tanto Point design for strong puncture and cutting ability
- Safe liner lock, easy and to unlock and stretch
- The airfoil bulge helps to stretch the blade quickly, efficiently protecting your hands
- Serrated blades for more effective cutting
- Three-stop adjustable clip, handy and portable

## Custom Merchandising Solution

### Standard Display



Flashlight Point-Of-Sale Display



Lamp with Magnetic Tailcap Counter Stand



GLO-TOOB® Point-Of-Sale Display



T/P Series Counter Stand



myTorch Counter Stand



Interactive Display

### Customized Display



Promotional Display



Headlight Promotional Display



Permanent Display